

P5 Plastic Pit

Product Images





Short Description

This pit provides a unique sidewall design that offers the necessary structural integrity to withstand the loads applied by the compaction of the surrounding soil while still supporting the vertical loads required in general use. P5 plastic pit measuring $600 \times 70 \times 450$ mm.

Description

Used across a variety of telecommunications, electrical, air, rail and road projects, this P5 Telstra type pit is manufactured from black UV stabilised high density polyethylene material. These pits have been developed in partnership with industry and major authorities to ensure they meet the stringent requirements for installation and long-term use.

They are lightweight, stackable and available in a range of modular sizes. Tested to Class A load rating (ultimate limit state design load of 10kN) under the Australian Standard AS/NZ 3996. Pits can be rated up to Class B when installed in the ground and backfilled with crushed rock or stabilised sand with internal PVC pipe support. A range of covers up to Class B are available to match each plastic pit depending on the load rating required.

Features:

- UV Stabilised moulded HDPE
- Stackable and modular
- Offers excellent structural integrity and support of vertical loads
 Specifications:
- P5 style
- Measures 600 x 700 x 450mm
- Class A

Additional Information

SKU	ACP02-1001
U.O.M	EA
Weight	9
Material	Plastic
Height	600 mm
Width	450 mm
Length	700 mm

