

Mandatory Sign - Hearing Protection In This Area 450 x 300mm Poly

Product Images



Short Description

Hearing protection in this area, 450 x 300mm polypropylene mandatory safety sign.

Description

Hearing protection in this area mandatory signage. Provide information to employees and visitors of an instruction that must be carried out. Displays a white pictogram symbols on a blue background with related wording below.

Jaybro Temporary & Permanent Signage

We do not outsource any of our work. We have a range of printing machines including UV printers, vinyl cutting printers, screen printers, pad printers and digital printers.

With control of the whole process, we can ensure your orders are ready in the fastest time possible.

Signage Material Information

Metal Signs (CODE 01)

Durable 0.6 mm thick steel signage. A durable sign designed for indoor and outdoor use. A 7-year weather resistant coating will resist rusting and fading. Pre-drilled mounting holes for easy installation on walls and fences. Standard with rounded corners.

Poly Signs (CODE 02)

Flexible 1.6 mm thick polypropylene. A weather resistant option that is highly recommended for outdoor use. UV stable, resisting fading and cracking for up to 5 years.

Polypropylene is recyclable and made from 70% recycled materials. Standard with mounting holes for quick and easy installation. Comes with rounded corners.

Coreflute Signs (CODE 03)

3 mm fluted core plastic. A low-cost alternative to metal or poly signs. A recommended solution for temporary signage applications both indoors and out.

Use caution when installing Coreflute signs with some glues and construction adhesive, damage can occur.

Self Adhesive Vinyl (code 04)

A Heavy-duty, permanent Adhesive vinyl, suitable for indoor and outdoor applications. Simply peel the backing paper off to apply to any clean, smooth surface.

Additional Information

SKU	02-M001B
U.O.M	EA
Mounting Type	Mounting Holes
Legend Style	Text and Symbol
Arrow Direction	No Arrow
Material	Poly
Dimensions	450 x 300 mm
Width	350 mm
Height	400 mm

